HEER HOME | SEARCH HEER | SHOP | WER ACCOUNT | CONTACT HEER

Membership

Search Results

Publications/Services Standards Conferences



	i	***************************************
	Ė	÷
	÷	
	:	
	Ė	
	i	
	:	ì
	:	٠
	•	4
		7
	1	ě

FAQ Terms IEEE Peer Review

Quick Links

: :	٠.,٠	:::::		×.
:::	**			w.
, :::	- 33			
Φ.	E.			
8	-	٠.		
₹.	0	۳.		()
<u>u</u>	•	~.	300	
٦.	:5	9		
ı,	*	₩	***	
				
ı	X	æ		
교	<u> </u>	<u></u>		
ī	<u> </u>	32 		
	Z	1 Million Users		
_	X	3E		
	X	 		
<u>.</u>	X	32		
<u>.</u>	33	32		

» Search Results

> Home

> What Can Access?

United States Patent and Trademark Office

Welcome

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

Your search matched 46 of 1041798 documents.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

gain control and (gaussian or normal)

fashes of Contents

> Lag-out

Proceedings

> Standards

Q- By Author

人 8886

> Advanced

1

O-Conference

Search

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

16 Maximum-likelihood diversity combining in partial-band noise

Li, G.; Wang, Q.; Bhargava, V.K.; Mason, L.J.;

Communications, IEEE Transactions on , Volume: 46 , Issue: 12 , Dec. 1998

Pages:1569 - 1574

IEEE JNL [PDF Full-Text (184 KB)] [Abstract]

> Establish IEEE

> Join IEEE

Web Account

Access the

17 Preamble-less nondecision-aided (NDA) feedforward synchronization techniques for 16-QAM TDMA demodulators

Vehicular Technology, IEEE Transactions on , Volume: 47 , Issue: 2 , May 1998 Efstathiou, D.; Aghvami, A.H.; EEE Member Digital Library

Print Format

[PDF Full-Text (708 KB)] [Abstract]

Pages: 673 - 685

IEEE JNL

http://ieeexplore.ieee.org/search/searchresult.jsp?query.Text=%27gain+control%27+and+%28gaussian+or+normal%29&coll1=ieeej... 6/7/04

18 Low-complexity receiver algorithms for the Grand-Alliance VSB HDTV

Hyoungsoo Lim; Donghoon Lee; Kyungwhoon Cheun; Kwonhue Choi; Minsoo Jung; Seokrim Choi;

Consumer Electronics, IEEE Transactions on, Volume: 42, Issue: 3, Aug. 1996 Pages:640 - 650

IEEE JNL [PDF Full-Text (640 KB)] [Abstract]

19 Analog front end of an ECBM transceiver for ISDN

Castello, R.; Tomasini, L.; Pernici, S.; Salerno, F.; Mazzucco, M.; Ferro, M.; Solid-State Circuits, IEEE Journal of , Volume: 25 , Issue: 6 , Dec. 1990 Pages:1575 - 1585

[PDF Full-Text (884 KB)] [Abstract]

IEEE JNL

20 Comparison of FFH FSK nonlinear combining receivers in a fading channel with partial-band interference

Maljevic, I.Z.; Dukic, M.I.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th

International Symposium on , Volume: 3 , 22-25 Sept. 1996

Pages: 1273 - 1277 vol.3

IEEE CNF [PDF Full-Text (388 KB)] [Abstract]

21 Techniques to improve anti-jam performance of spread spectrum

Amoroso, F.; Monzingo, R.A.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th

International Symposium on , Volume: 2 , 22-25 Sept. 1996

Pages: 636 - 646 vol. 2

IEEE CNF [PDF Full-Text (664 KB)] [Abstract]

22 Stochastic control of discrete systems: a separation principle for Wiener and polynomial systems

Decision and Control, 1998. Proceedings of the 37th IEEE Conference on, Volume: Grimble, M.J.;

1, 16-18 Dec. 1998

Pages: 790 - 795 vol. 1

IEEE CNF [PDF Full-Text (336 KB)] [Abstract]

amplitude gain error for 16-ary QAM Rayleigh faded burst transmissions 23 A comparison study of the estimation period of carrier phase and

Global Telecommunications Conference, 1994. GLOBECOM '94. 'Communications: The Global Bridge'., IEEE, Volume: 3, 28 Nov.-2 Dec. 1994 Efstathiou, D.; Aghvami, A.H.;

Pages:1904 - 1908 vol.3

IEEE CNF [PDF Full-Text (456 KB)] [Abstract] 24 Compensation for recruitment of loudness in sensorineural hearing impairments using a sinusoidal model of speech

Rutledge, J.C.; Clements, M.A.;

Acoustics, Speech, and Signal Processing, 1991. ICASSP-91., 1991 International

Conference on , 14-17 April 1991

Pages:3641 - 3644 vol.5

IEEE CNF [PDF Full-Text (372 KB)] [Abstract] 25 A 100 MHz IF amplifier quadrature demodulator for GSM cellular radio

mobile terminals

Koullias, I.A.; Forgues, S.L.; Davis, P.C.;

Bipolar Circuits and Technology Meeting, 1990., Proceedings of the 1990, 17-18

Sept. 1990

Pages:248 - 251

IEEE CNF [PDF Full-Text (588 KB)] [Abstract] 26 Analog front-end of an ECBM transceiver for ISDN

Castello, R.; Tomasini, L.; Pernici, S.; Salerno, F.; Mazzucco, M.; Ferro, M.

Custom Integrated Circuits Conference, 1989., Proceedings of the IEEE 1989, 15-18 May 1989

Pages:16.4/1 - 16.4/4

IEEE CNF [PDF Full-Text (400 KB)] [Abstract]

27 Tight-bound symbol error probability of high-level QAM in the presence of residual amplitude fluctuation [digital radio]

Seo, J.-S.; Feher, K.;

Communications, 1988. ICC 88. Digital Technology - Spanning the Universe. Conference Record. IEEE International Conference on , 12-15 June 1988

Pages:483 - 487 vol.1

[Abstract] [PDF Full-Text (296 KB)] IEEE CNF

28 Probability of Error Analyses of a BFSK Frequency-Hopping System with Diversity Under Partial-Band Jamming Interference--Part II: Performance

of Square-Law Nonlinear Combining Soft Decision Receivers

Jhong Lee; Miller, L.; Young Kim;

Communications, IEEE Transactions on [legacy, pre - 1988], Volume: 32, Issue:

12 , Dec 1984

Pages:1243 - 1250

[Abstract] [PDF Full-Text (672 KB)] IEEE JNL

29 The Performance of Five Different Metrics Against Pulsed Jamming

Torrieri, D.;

Communications, IEEE Transactions on [legacy, pre - 1988], Volume: 34, Issue:

2 , Feb 1986

Pages: 200 - 204

[Abstract] [PDF Full-Text (440 KB)] IEEE JNL

30 A 3.5 in 230 Mbytes read-channel chip set for magneto-optical disk

drives

Sang-Soo Lee; Laber, C.A.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on , Volume:

4 , Issue: 4 , Dec. 1996

Pages:455 - 463

[Abstract] [PDF Full-Text (888 KB)] reee JNL

Hog-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your

Feedback | Technical Support | Email Aterting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | 1930k 1877 | 1917

Copyright © 2004 IEEE — All rights reserved

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.